

Kuhn & New Holland

KRAMP AUSTRALIA 

Kuhn Mowers

Mower Blade LH/RH

KR-56150000KR

Suitable for Various:
FC700 & GMD Series

Length: 94mm
Width: 40mm
Thickness: 3mm
Hole Size: 16.25mm



Mower Blade RH

KR-56151300KR

Suitable for Various:
GMD Series

Length: 93mm
Width: 40mm
Thickness: 3mm
Hole Size: 16.25mm



Skid

KR-56832720N

Suitable for Various Models

Inner Curl Diameter: 44mm
Length: 370mm
Width: 75mm
Thickness: 10mm



Kuhn Seed Drills

Plain Disc

KR-110032N

Suitable for Various Seed Drills

Outside Diameter: 430mm
Thickness: 4.5mm
Type: Flat Corrugated
Flat Centre: Yes
Number of Mounting Holes: 6
Mounting Holes Pitch Circle Diameter: 100mm
Mounting Holes Diameter: 10.5mm



Flat Disc

KR-110034N

Suitable for Various Seed Drills

Outside Diameter: 406mm
Thickness: 4mm
Flat Centre: Yes
Mounting Centre Hole Shape: Round
Mounting Centre Hole Diameter: 67mm
Number of Mounting Holes: 4
Mounting Holes Pitch Circle Diameter: 110mm
Mounting Holes Diameter: 9mm



Kuhn Ploughs

Share Point RH

KR-622128N

Suitable for Various Ploughs

Thickness: 15mm
Width: 75mm
Holes Distance: 52mm
Holes Diameter: 13mm
Number of Mounting Holes: 2
Length: 260mm



Share Point LH

KR-622129N

Suitable for Various Ploughs

Thickness: 15mm
Width: 75mm
Holes Distance: 52mm
Holes Diameter: 13mm
Number of Mounting Holes: 2
Length: 260mm



Plough Bolt

KR-1234C2FP025

Suitable for Various Ploughs

Thread diameter: M12
Length: 34 mm
Head shape: Flat
Head height: 7 mm
Head outside diameter (width): 16 mm
Head width (flat side): 13.5 mm
Head sink angle: 15°
Quality: 12.9 grade



Bolt Pack

KR-TB60016

Suitable for Various Ploughs

1 x M12 x 34 C2F + nut



2-Nose Plough Bolt + Nut KR-1240COP025

Suitable for Various Ploughs

Quality: 8.8 grade
Thread: M12
Head diameter: 20 mm
Length: 40 mm



Bolt Pack KR-TB40112

Suitable for Various Ploughs

4 x M12 x 35 CO
2 x M12 x 45 CO + Nuts



2-Nose Plough Bolt KR-1440COP025

Suitable for Various Ploughs

Quality: 8.8
Thread: M14
Head Diameter: 24mm
Length: 40mm




Kuhn Rotary Hoes

Bolt + Nut 5/8 x 44 12.9 KR-RB5844UNF

Suitable for Various Rotary Hoes

Length: 44mm
Quality: 12.9



Kuhn Power Harrows

Power Harrow Tine KR-KE0701

Suitable for Various Power Harrows

Direction of Rotation: Right, Left
Length: 320mm
Width: 40mm
Thickness: 17mm
Number of Holes: 2
Holes Diameter: 17mm



Power Harrow Tine KR-KE0702

Suitable for Various Power Harrows

Direction of Rotation: Left, Right
Length: 390mm
Width: 40mm
Thickness: 18mm
Number of Holes: 2
Holes Diameter: 17mm



Power Harrow Tine KR-KE0705

Suitable for Various Power Harrows

Direction of Rotation: Left
Length: 270mm
Height: 71mm
Width: 110mm
Thickness: 12mm
Number of Holes: 2
Holes Diameter: 16.5mm
Distance Holes: 68mm



Power Harrow Tine KR-KE0706

Suitable for Various Power Harrows

Direction of Rotation: Right
Length: 270mm
Height: 71mm
Width: 110mm
Thickness: 12mm
Number of Holes: 2
Holes Diameter: 16.5mm
Distance Holes: 68mm



Power Harrow Tine LH KR-KE0713

Suitable for Various Power Harrows

Length: 315mm
Height: 143mm
Width: 120mm
Thickness: 16mm
Hole Diameter: 19.25mm
Number of Holes: 1



Power Harrow Tine RH KR-KE0714

Suitable for Various Power Harrows

Length: 315mm
Height: 143mm
Width: 120mm
Thickness: 16mm
Hole Diameter: 19.25mm
Number of Holes: 1



Flanged Lock Nut

KR-KE11603

Suitable for Various Power Harrows

Thread Diameter: M16
Pitch: 1.5mm
Quality: 10.9



Brace Nut

KR-KE0717

Suitable for Various Power Harrows

Thread Diameter: M16
Pitch of Thread: 1.5mm



Tine Fastener Fast Fit

KR-52596600

Suitable for Various Power Harrows



Hexagon Head Bolt

KR-960161555129B

Suitable for Various Power Harrows

Thread Diameter: M16
Thread Pitch: 1.5mm
Length: 55mm
Thread Length: 38mm
Thread Type: Metric
Wrench/Spanner Size: 24mm
Head Height: 10mm
Quality: 12.9
DIN Standard: 960
ISO Standard: 8765



Mower Blade RH

KR-960161560129B

Suitable for Various Power Harrows

Thread Diameter: M16
Thread Pitch: 1.5mm
Length: 60mm
Thread Length: 38mm
Thread Type: Metric
Wrench/Spanner Size: 24mm
Head Height: 10mm
Quality: 12.9
DIN Standard: 960
ISO Standard: 8765



Linch Pin

KR-DG086N

Suitable for Various Power Harrows

Overall Length: 36mm
Working Length: 22mm
Pin Diameter: 6mm
Ring Inside Width: 20mm
Ring Outside Width: 32mm




Scraper 180 x 75

KR-AB070006

Suitable for Various Power Harrows

Hole Diameter: 10.5 x 82mm
Length: 180mm
Thickness: 4mm
Width: 75mm



Coach Bolt + Nut

KR-6031030

Suitable for Various Power Harrows

Thread diameter: M10
Pitch: 1.5 mm
Length: 30 mm
Thread length: 26 mm
Head shape: Mushroom
Thread type: Metric
Head height: 5.38 mm
Quality: 4.6 grade
Material: Steel
DIN standard: 603



New Holland Balers

Pick-Up Tine

KR-80127566N

Suitable for Various:
HAYLINER Series

Length: 190mm
Width: 112mm
Thickness: 5mm
Inner Curl Diameter: 29mm



Pick-Up Tine

KR-87035576N

Suitable for Various Balers

Length: 175mm
Width: 75mm
Thickness: 5mm
Inner Curl Diameter: 32.5mm

